

DWT6 10'-12000 COMPARTMENT
11,873 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	3	6 1/8	198	12 1/8	554	18 1/8	1,024	24 1/8	1,584
1/4	5	6 1/4	204	12 1/4	563	18 1/4	1,035	24 1/4	1,596
3/8	6	6 3/8	210	12 3/8	571	18 3/8	1,046	24 3/8	1,609
1/2	8	6 1/2	216	12 1/2	580	18 1/2	1,056	24 1/2	1,621
5/8	10	6 5/8	222	12 5/8	589	18 5/8	1,067	24 5/8	1,634
3/4	12	6 3/4	229	12 3/4	598	18 3/4	1,078	24 3/4	1,646
7/8	14	6 7/8	235	12 7/8	607	18 7/8	1,089	24 7/8	1,659
1	17	7	241	13	616	19	1,100	25	1,672
1 1/8	19	7 1/8	248	13 1/8	625	19 1/8	1,111	25 1/8	1,684
1 1/4	22	7 1/4	254	13 1/4	634	19 1/4	1,123	25 1/4	1,697
1 3/8	25	7 3/8	261	13 3/8	643	19 3/8	1,134	25 3/8	1,710
1 1/2	28	7 1/2	268	13 1/2	653	19 1/2	1,145	25 1/2	1,723
1 5/8	31	7 5/8	274	13 5/8	662	19 5/8	1,156	25 5/8	1,735
1 3/4	34	7 3/4	281	13 3/4	671	19 3/4	1,167	25 3/4	1,748
1 7/8	37	7 7/8	288	13 7/8	680	19 7/8	1,179	25 7/8	1,761
2	40	8	295	14	690	20	1,190	26	1,774
2 1/8	44	8 1/8	302	14 1/8	699	20 1/8	1,201	26 1/8	1,787
2 1/4	47	8 1/4	309	14 1/4	709	20 1/4	1,213	26 1/4	1,800
2 3/8	51	8 3/8	316	14 3/8	718	20 3/8	1,224	26 3/8	1,813
2 1/2	54	8 1/2	323	14 1/2	728	20 1/2	1,236	26 1/2	1,826
2 5/8	58	8 5/8	330	14 5/8	737	20 5/8	1,247	26 5/8	1,839
2 3/4	62	8 3/4	338	14 3/4	747	20 3/4	1,259	26 3/4	1,852
2 7/8	66	8 7/8	345	14 7/8	757	20 7/8	1,270	26 7/8	1,865
3	70	9	352	15	767	21	1,282	27	1,878
3 1/8	74	9 1/8	360	15 1/8	776	21 1/8	1,294	27 1/8	1,892
3 1/4	79	9 1/4	367	15 1/4	786	21 1/4	1,305	27 1/4	1,905
3 3/8	83	9 3/8	375	15 3/8	796	21 3/8	1,317	27 3/8	1,918
3 1/2	87	9 1/2	382	15 1/2	806	21 1/2	1,329	27 1/2	1,931
3 5/8	92	9 5/8	390	15 5/8	816	21 5/8	1,341	27 5/8	1,944
3 3/4	96	9 3/4	398	15 3/4	826	21 3/4	1,352	27 3/4	1,958
3 7/8	101	9 7/8	405	15 7/8	836	21 7/8	1,364	27 7/8	1,971
4	106	10	413	16	846	22	1,376	28	1,984
4 1/8	111	10 1/8	421	16 1/8	856	22 1/8	1,388	28 1/8	1,998
4 1/4	116	10 1/4	429	16 1/4	866	22 1/4	1,400	28 1/4	2,011
4 3/8	121	10 3/8	437	16 3/8	877	22 3/8	1,412	28 3/8	2,025
4 1/2	126	10 1/2	445	16 1/2	887	22 1/2	1,424	28 1/2	2,038
4 5/8	131	10 5/8	453	16 5/8	897	22 5/8	1,436	28 5/8	2,052
4 3/4	136	10 3/4	461	16 3/4	907	22 3/4	1,448	28 3/4	2,065
4 7/8	141	10 7/8	469	16 7/8	918	22 7/8	1,460	28 7/8	2,079
5	146	11	478	17	928	23	1,473	29	2,092
5 1/8	152	11 1/8	486	17 1/8	939	23 1/8	1,485	29 1/8	2,106
5 1/4	157	11 1/4	494	17 1/4	949	23 1/4	1,497	29 1/4	2,120
5 3/8	163	11 3/8	503	17 3/8	960	23 3/8	1,509	29 3/8	2,133
5 1/2	169	11 1/2	511	17 1/2	970	23 1/2	1,522	29 1/2	2,147
5 5/8	174	11 5/8	519	17 5/8	981	23 5/8	1,534	29 5/8	2,161
5 3/4	180	11 3/4	528	17 3/4	992	23 3/4	1,546	29 3/4	2,174
5 7/8	186	11 7/8	537	17 7/8	1,002	23 7/8	1,559	29 7/8	2,188
6	192	12	545	18	1,013	24	1,571	30	2,202

DWT6 10'-12000 COMPARTMENT
11,873 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	2,216	36 1/8	2,905	42 1/8	3,640	48 1/8	4,407	54 1/8	5,196
30 1/4	2,229	36 1/4	2,920	42 1/4	3,656	48 1/4	4,424	54 1/4	5,213
30 3/8	2,243	36 3/8	2,935	42 3/8	3,671	48 3/8	4,440	54 3/8	5,229
30 1/2	2,257	36 1/2	2,950	42 1/2	3,687	48 1/2	4,456	54 1/2	5,246
30 5/8	2,271	36 5/8	2,965	42 5/8	3,703	48 5/8	4,472	54 5/8	5,262
30 3/4	2,285	36 3/4	2,980	42 3/4	3,719	48 3/4	4,489	54 3/4	5,279
30 7/8	2,299	36 7/8	2,995	42 7/8	3,734	48 7/8	4,505	54 7/8	5,296
31	2,313	37	3,010	43	3,750	49	4,521	55	5,312
31 1/8	2,327	37 1/8	3,025	43 1/8	3,766	49 1/8	4,538	55 1/8	5,329
31 1/4	2,341	37 1/4	3,040	43 1/4	3,782	49 1/4	4,554	55 1/4	5,345
31 3/8	2,355	37 3/8	3,055	43 3/8	3,798	49 3/8	4,570	55 3/8	5,362
31 1/2	2,369	37 1/2	3,070	43 1/2	3,813	49 1/2	4,587	55 1/2	5,379
31 5/8	2,383	37 5/8	3,085	43 5/8	3,829	49 5/8	4,603	55 5/8	5,395
31 3/4	2,397	37 3/4	3,100	43 3/4	3,845	49 3/4	4,619	55 3/4	5,412
31 7/8	2,411	37 7/8	3,116	43 7/8	3,861	49 7/8	4,636	55 7/8	5,428
32	2,426	38	3,131	44	3,877	50	4,652	56	5,445
32 1/8	2,440	38 1/8	3,146	44 1/8	3,893	50 1/8	4,668	56 1/8	5,462
32 1/4	2,454	38 1/4	3,161	44 1/4	3,909	50 1/4	4,685	56 1/4	5,478
32 3/8	2,468	38 3/8	3,176	44 3/8	3,925	50 3/8	4,701	56 3/8	5,495
32 1/2	2,483	38 1/2	3,192	44 1/2	3,940	50 1/2	4,718	56 1/2	5,512
32 5/8	2,497	38 5/8	3,207	44 5/8	3,956	50 5/8	4,734	56 5/8	5,528
32 3/4	2,511	38 3/4	3,222	44 3/4	3,972	50 3/4	4,750	56 3/4	5,545
32 7/8	2,525	38 7/8	3,237	44 7/8	3,988	50 7/8	4,767	56 7/8	5,562
33	2,540	39	3,253	45	4,004	51	4,783	57	5,578
33 1/8	2,554	39 1/8	3,268	45 1/8	4,020	51 1/8	4,800	57 1/8	5,595
33 1/4	2,569	39 1/4	3,283	45 1/4	4,036	51 1/4	4,816	57 1/4	5,611
33 3/8	2,583	39 3/8	3,299	45 3/8	4,052	51 3/8	4,833	57 3/8	5,628
33 1/2	2,597	39 1/2	3,314	45 1/2	4,068	51 1/2	4,849	57 1/2	5,645
33 5/8	2,612	39 5/8	3,329	45 5/8	4,084	51 5/8	4,866	57 5/8	5,661
33 3/4	2,626	39 3/4	3,345	45 3/4	4,100	51 3/4	4,882	57 3/4	5,678
33 7/8	2,641	39 7/8	3,360	45 7/8	4,117	51 7/8	4,898	57 7/8	5,695
34	2,655	40	3,376	46	4,133	52	4,915	58	5,711
34 1/8	2,670	40 1/8	3,391	46 1/8	4,149	52 1/8	4,931	58 1/8	5,728
34 1/4	2,684	40 1/4	3,406	46 1/4	4,165	52 1/4	4,948	58 1/4	5,745
34 3/8	2,699	40 3/8	3,422	46 3/8	4,181	52 3/8	4,964	58 3/8	5,761
34 1/2	2,714	40 1/2	3,437	46 1/2	4,197	52 1/2	4,981	58 1/2	5,778
34 5/8	2,728	40 5/8	3,453	46 5/8	4,213	52 5/8	4,997	58 5/8	5,795
34 3/4	2,743	40 3/4	3,468	46 3/4	4,229	52 3/4	5,014	58 3/4	5,811
34 7/8	2,758	40 7/8	3,484	46 7/8	4,245	52 7/8	5,030	58 7/8	5,828
35	2,772	41	3,499	47	4,262	53	5,047	59	5,845
35 1/8	2,787	41 1/8	3,515	47 1/8	4,278	53 1/8	5,064	59 1/8	5,861
35 1/4	2,802	41 1/4	3,531	47 1/4	4,294	53 1/4	5,080	59 1/4	5,878
35 3/8	2,817	41 3/8	3,546	47 3/8	4,310	53 3/8	5,097	59 3/8	5,895
35 1/2	2,831	41 1/2	3,562	47 1/2	4,326	53 1/2	5,113	59 1/2	5,911
35 5/8	2,846	41 5/8	3,577	47 5/8	4,342	53 5/8	5,130	59 5/8	5,928
35 3/4	2,861	41 3/4	3,593	47 3/4	4,359	53 3/4	5,146	59 3/4	5,945
35 7/8	2,876	41 7/8	3,609	47 7/8	4,375	53 7/8	5,163	59 7/8	5,961
36	2,891	42	3,624	48	4,391	54	5,179	60	5,978

DWT6 10'-12000 COMPARTMENT
11,873 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	5,995	66 1/8	6,793	72 1/8	7,579	78 1/8	8,342	84 1/8	9,071
60 1/4	6,011	66 1/4	6,809	72 1/4	7,595	78 1/4	8,358	84 1/4	9,086
60 3/8	6,028	66 3/8	6,826	72 3/8	7,611	78 3/8	8,373	84 3/8	9,101
60 1/2	6,045	66 1/2	6,842	72 1/2	7,628	78 1/2	8,389	84 1/2	9,115
60 5/8	6,062	66 5/8	6,859	72 5/8	7,644	78 5/8	8,405	84 5/8	9,130
60 3/4	6,078	66 3/4	6,875	72 3/4	7,660	78 3/4	8,420	84 3/4	9,145
60 7/8	6,095	66 7/8	6,892	72 7/8	7,676	78 7/8	8,436	84 7/8	9,159
61	6,112	67	6,908	73	7,692	79	8,451	85	9,174
61 1/8	6,128	67 1/8	6,925	73 1/8	7,708	79 1/8	8,467	85 1/8	9,188
61 1/4	6,145	67 1/4	6,941	73 1/4	7,724	79 1/4	8,482	85 1/4	9,203
61 3/8	6,162	67 3/8	6,958	73 3/8	7,740	79 3/8	8,497	85 3/8	9,218
61 1/2	6,178	67 1/2	6,974	73 1/2	7,756	79 1/2	8,513	85 1/2	9,232
61 5/8	6,195	67 5/8	6,991	73 5/8	7,772	79 5/8	8,528	85 5/8	9,247
61 3/4	6,211	67 3/4	7,007	73 3/4	7,789	79 3/4	8,544	85 3/4	9,261
61 7/8	6,228	67 7/8	7,024	73 7/8	7,805	79 7/8	8,559	85 7/8	9,276
62	6,245	68	7,040	74	7,821	80	8,574	86	9,290
62 1/8	6,261	68 1/8	7,057	74 1/8	7,837	80 1/8	8,590	86 1/8	9,304
62 1/4	6,278	68 1/4	7,073	74 1/4	7,853	80 1/4	8,605	86 1/4	9,319
62 3/8	6,295	68 3/8	7,090	74 3/8	7,869	80 3/8	8,620	86 3/8	9,333
62 1/2	6,311	68 1/2	7,106	74 1/2	7,885	80 1/2	8,636	86 1/2	9,348
62 5/8	6,328	68 5/8	7,122	74 5/8	7,901	80 5/8	8,651	86 5/8	9,362
62 3/4	6,345	68 3/4	7,139	74 3/4	7,916	80 3/4	8,666	86 3/4	9,376
62 7/8	6,361	68 7/8	7,155	74 7/8	7,932	80 7/8	8,681	86 7/8	9,390
63	6,378	69	7,172	75	7,948	81	8,697	87	9,405
63 1/8	6,395	69 1/8	7,188	75 1/8	7,964	81 1/8	8,712	87 1/8	9,419
63 1/4	6,411	69 1/4	7,204	75 1/4	7,980	81 1/4	8,727	87 1/4	9,433
63 3/8	6,428	69 3/8	7,221	75 3/8	7,996	81 3/8	8,742	87 3/8	9,447
63 1/2	6,445	69 1/2	7,237	75 1/2	8,012	81 1/2	8,757	87 1/2	9,461
63 5/8	6,461	69 5/8	7,254	75 5/8	8,028	81 5/8	8,772	87 5/8	9,476
63 3/4	6,478	69 3/4	7,270	75 3/4	8,044	81 3/4	8,788	87 3/4	9,490
63 7/8	6,494	69 7/8	7,286	75 7/8	8,060	81 7/8	8,803	87 7/8	9,504
64	6,511	70	7,303	76	8,075	82	8,818	88	9,518
64 1/8	6,528	70 1/8	7,319	76 1/8	8,091	82 1/8	8,833	88 1/8	9,532
64 1/4	6,544	70 1/4	7,335	76 1/4	8,107	82 1/4	8,848	88 1/4	9,546
64 3/8	6,561	70 3/8	7,352	76 3/8	8,123	82 3/8	8,863	88 3/8	9,560
64 1/2	6,577	70 1/2	7,368	76 1/2	8,139	82 1/2	8,878	88 1/2	9,574
64 5/8	6,594	70 5/8	7,384	76 5/8	8,154	82 5/8	8,893	88 5/8	9,588
64 3/4	6,611	70 3/4	7,401	76 3/4	8,170	82 3/4	8,908	88 3/4	9,602
64 7/8	6,627	70 7/8	7,417	76 7/8	8,186	82 7/8	8,923	88 7/8	9,616
65	6,644	71	7,433	77	8,202	83	8,938	89	9,630
65 1/8	6,660	71 1/8	7,449	77 1/8	8,217	83 1/8	8,953	89 1/8	9,643
65 1/4	6,677	71 1/4	7,466	77 1/4	8,233	83 1/4	8,967	89 1/4	9,657
65 3/8	6,694	71 3/8	7,482	77 3/8	8,249	83 3/8	8,982	89 3/8	9,671
65 1/2	6,710	71 1/2	7,498	77 1/2	8,264	83 1/2	8,997	89 1/2	9,685
65 5/8	6,727	71 5/8	7,514	77 5/8	8,280	83 5/8	9,012	89 5/8	9,699
65 3/4	6,743	71 3/4	7,530	77 3/4	8,296	83 3/4	9,027	89 3/4	9,712
65 7/8	6,760	71 7/8	7,547	77 7/8	8,311	83 7/8	9,042	89 7/8	9,726
66	6,776	72	7,563	78	8,327	84	9,056	90	9,740

DWT6 10'-12000 COMPARTMENT
11,873 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	9,753	96 1/8	10,376	102 1/8	10,924	108 1/8	11,379	114 1/8	11,716
90 1/4	9,767	96 1/4	10,388	102 1/4	10,934	108 1/4	11,387	114 1/4	11,721
90 3/8	9,781	96 3/8	10,400	102 3/8	10,945	108 3/8	11,395	114 3/8	11,726
90 1/2	9,794	96 1/2	10,412	102 1/2	10,955	108 1/2	11,404	114 1/2	11,732
90 5/8	9,808	96 5/8	10,425	102 5/8	10,965	108 5/8	11,412	114 5/8	11,737
90 3/4	9,821	96 3/4	10,437	102 3/4	10,976	108 3/4	11,420	114 3/4	11,742
90 7/8	9,835	96 7/8	10,449	102 7/8	10,986	108 7/8	11,428	114 7/8	11,747
91	9,848	97	10,461	103	10,996	109	11,436	115	11,752
91 1/8	9,862	97 1/8	10,473	103 1/8	11,007	109 1/8	11,444	115 1/8	11,757
91 1/4	9,875	97 1/4	10,485	103 1/4	11,017	109 1/4	11,452	115 1/4	11,762
91 3/8	9,888	97 3/8	10,497	103 3/8	11,027	109 3/8	11,460	115 3/8	11,767
91 1/2	9,902	97 1/2	10,509	103 1/2	11,037	109 1/2	11,468	115 1/2	11,772
91 5/8	9,915	97 5/8	10,520	103 5/8	11,047	109 5/8	11,475	115 5/8	11,776
91 3/4	9,928	97 3/4	10,532	103 3/4	11,057	109 3/4	11,483	115 3/4	11,781
91 7/8	9,942	97 7/8	10,544	103 7/8	11,067	109 7/8	11,491	115 7/8	11,786
92	9,955	98	10,556	104	11,077	110	11,498	116	11,790
92 1/8	9,968	98 1/8	10,568	104 1/8	11,087	110 1/8	11,506	116 1/8	11,794
92 1/4	9,981	98 1/4	10,579	104 1/4	11,097	110 1/4	11,513	116 1/4	11,799
92 3/8	9,995	98 3/8	10,591	104 3/8	11,106	110 3/8	11,521	116 3/8	11,803
92 1/2	10,008	98 1/2	10,603	104 1/2	11,116	110 1/2	11,528	116 1/2	11,807
92 5/8	10,021	98 5/8	10,614	104 5/8	11,126	110 5/8	11,535	116 5/8	11,811
92 3/4	10,034	98 3/4	10,626	104 3/4	11,135	110 3/4	11,543	116 3/4	11,815
92 7/8	10,047	98 7/8	10,637	104 7/8	11,145	110 7/8	11,550	116 7/8	11,818
93	10,060	99	10,649	105	11,155	111	11,557	117	11,822
93 1/8	10,073	99 1/8	10,660	105 1/8	11,164	111 1/8	11,564	117 1/8	11,826
93 1/4	10,086	99 1/4	10,672	105 1/4	11,174	111 1/4	11,571	117 1/4	11,829
93 3/8	10,099	99 3/8	10,683	105 3/8	11,183	111 3/8	11,578	117 3/8	11,833
93 1/2	10,112	99 1/2	10,694	105 1/2	11,192	111 1/2	11,585	117 1/2	11,836
93 5/8	10,125	99 5/8	10,706	105 5/8	11,202	111 5/8	11,592	117 5/8	11,839
93 3/4	10,138	99 3/4	10,717	105 3/4	11,211	111 3/4	11,599	117 3/4	11,842
93 7/8	10,150	99 7/8	10,728	105 7/8	11,220	111 7/8	11,605	117 7/8	11,845
94	10,163	100	10,739	106	11,230	112	11,612	118	11,848
94 1/8	10,176	100 1/8	10,750	106 1/8	11,239	112 1/8	11,619	118 1/8	11,851
94 1/4	10,189	100 1/4	10,762	106 1/4	11,248	112 1/4	11,625	118 1/4	11,854
94 3/8	10,201	100 3/8	10,773	106 3/8	11,257	112 3/8	11,632	118 3/8	11,856
94 1/2	10,214	100 1/2	10,784	106 1/2	11,266	112 1/2	11,638	118 1/2	11,859
94 5/8	10,227	100 5/8	10,795	106 5/8	11,275	112 5/8	11,644	118 5/8	11,861
94 3/4	10,239	100 3/4	10,806	106 3/4	11,284	112 3/4	11,651	118 3/4	11,863
94 7/8	10,252	100 7/8	10,817	106 7/8	11,293	112 7/8	11,657	118 7/8	11,865
95	10,264	101	10,827	107	11,302	113	11,663	119	11,867
95 1/8	10,277	101 1/8	10,838	107 1/8	11,310	113 1/8	11,669	119 1/8	11,868
95 1/4	10,289	101 1/4	10,849	107 1/4	11,319	113 1/4	11,675	119 1/4	11,870
95 3/8	10,302	101 3/8	10,860	107 3/8	11,328	113 3/8	11,681	119 3/8	11,871
95 1/2	10,314	101 1/2	10,871	107 1/2	11,336	113 1/2	11,687	119 1/2	11,872
95 5/8	10,327	101 5/8	10,881	107 5/8	11,345	113 5/8	11,693	119 5/8	11,873
95 3/4	10,339	101 3/4	10,892	107 3/4	11,353	113 3/4	11,699		
95 7/8	10,351	101 7/8	10,903	107 7/8	11,362	113 7/8	11,704		
96	10,364	102	10,913	108	11,370	114	11,710		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.